

AQA Qualifications

GCSE Mathematics

Unit 2 43602H Mark scheme

43602H November 2014

Version/Stage: v1.1

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available from aqa.org.uk

Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

M Method marks are awarded for a correct method which could

lead to a correct answer.

A Accuracy marks are awarded when following on from a correct

method. It is not necessary to always see the method. This can

be implied.

B Marks awarded independent of method.

Q Marks awarded for Quality of Written Communication

ft Follow through marks. Marks awarded for correct working

following a mistake in an earlier step.

SC Special case. Marks awarded within the scheme for a common

misinterpretation which has some mathematical worth.

M dep A method mark dependent on a previous method mark being

awarded.

B depA mark that can only be awarded if a previous independent mark

has been awarded.

oe Or equivalent. Accept answers that are equivalent.

eg, accept 0.5 as well as $\frac{1}{2}$

[a, b] Accept values between a and b inclusive.

3.14... Allow answers which begin 3.14 eg 3.14, 3.142, 3.149.

Use of brackets It is not necessary to see the bracketed work to award the marks.

Examiners should consistently apply the following principles

Diagrams

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a candidate has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the candidate. In cases where there is no doubt that the answer has come from incorrect working then the candidate should be penalised.

Questions which ask candidates to show working

Instructions on marking will be given but usually marks are not awarded to candidates who show no working.

Questions which do not ask candidates to show working

As a general principle, a correct response is awarded full marks.

Misread or miscopy

Candidates often copy values from a question incorrectly. If the examiner thinks that the candidate has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

Further work

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

Work not replaced

Erased or crossed out work that is still legible should be marked.

Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

Q	Answer	Mark	Comments
1(a)	93.42	B1	any clear indication
1(b)	34.6	B1	any clear indication
	•	•	<u>, </u>
2	$\frac{30}{100} \times 4$ or 1.2(0) or 120 or $\frac{70}{100}$	M1	ое
	4 – their 1.2(0) or 2.8 or $\frac{70}{100} \times 4$	M1dep	ое
	(£) 2.80	Q1	Strand (i) Must have correct units do not accept 2.80p or 280p or 2.8

3	70 × 40 or 2800	M1	(Nisha)
	their $2800 - \frac{5}{100} \times \text{their } 2800$ or $2800 - 140$ or 2660	M1dep	oe (Nisha)
	$70 \div 5 \text{ or } \frac{1}{5} \times 70 \text{ or } 14$ or $\frac{4}{5} \times 70 \text{ or } 56$	M1	oe (Dipen)
	their $14 \times 4 \times 40$ or 56×40 or 70×40 – their 14×40 or their 2800 – their 14×40 or 2240	M1dep	oe dependent on 3 rd method mark (Dipen)
	2660 and 2240	A1	
	420 and No	Q1ft	Strand (iii) correct comparison for their values, with at least one correct value

3	Additional Guidance		
2800 – 140 implies minimum first and second Method marks			
2800 – 560 implies minimum third and fourth Method marks			

4(a)	5, 9, 13, 17, 21 seen		M1	allow one error or omission	
	5 + 9 + 13 + 17 + 21 = 65	A1			

4(b)	4 <i>n</i> + 1	B2	oe B1 4n (+ k)
			B1 $4n (\pm k)$

4(b)	Additional Guidance		
	4 × n + 1	is B2	
	$4 \times n \ (+ \ k)$	is B1	

5	Alternative method 1				
	x + x + 30 = 110	M1	(x representing Ann)		
	(x =) 40	A1			
	their 40 + 30 110	A1ft	oe fraction $\frac{7}{11}$		
	Alternative method 2				
	x + x - 30 = 110	M1	(x representing Tom)		
	(x =) 70	A1			
	their 70 110	A1ft	oe fraction $\frac{7}{11}$		
	Alternative method 3				
	(110 – 30) ÷ 2 or 80 ÷ 2	M1			
	40	A1			
	their 40 + 30 110	A1ft	oe fraction $\frac{7}{11}$		
	Alternative method 4				
	$(110 + 30) \div 2 \text{ or } 140 \div 2$	M1			
	70	A1			
	their 70 110	A1ft	oe fraction $\frac{7}{11}$		
	Alternative method 5				
	110 ÷ 2 + 15 or 55 + 15	M1			
	70	A1			
	their 70 110	A1ft	oe fraction $\frac{7}{11}$		

5	Additional Guidance	
	85 110	is M0 A0 A0ft

6	6x + 15 - 2x + 8	M1	allow one error
	6x + 15 - 2x + 8	A1	fully correct
	4 <i>x</i> + 23	A1ft	do not ignore fw SC2 $4x + 7$

6 Additional Guidance

Do not allow fw eg. 4x + 23 = 27x score A0 for final accuracy mark

Allow fw in trying to solve equation after 4x + 23 seen to score A1 for final accuracy mark

$$6x + 15 - 2x - 8$$

4x + 7

is M1 A0 A1ft

4x + 7 alone on answer line

is SC2

Two independent expanded brackets (shown one underneath the other)

6x + 15

2x - 8

with 4x + 23 on answer line

is M1 A1 A1

Two independent expanded brackets shown remotely (same line)

6x + 15

2x - 8

with 4x + 23 on answer line

is M1 A1 A1

Two independent expanded brackets shown remotely without correct answer on answer lines scores zero marks


6x + 15


2x - 8

with answer line blank

is M0 A0 A0

7(a)	$5x \ge 29 + 11$		oe
	or $x - \frac{11}{5} \ge \frac{29}{5}$	M1	
	or $x \geq \frac{40}{5}$		
	$x \geq 8$	A1	SC1 8
			SC1 $x \ge 3.6$ or $x \ge 3\frac{3}{5}$





8	Alternative method 1		
	$\frac{110}{200}$ or $\frac{140}{250}$	M1	oe
	$\frac{55}{100}$ and $\frac{56}{100}$	A1	oe both fractions correctly written with common denominator eg. $\frac{275}{200}$ and $\frac{280}{200}$
			$\frac{69.}{500} \frac{100}{500}$
	Y11 and their $\frac{55}{100}$ and their $\frac{56}{100}$	Q1ft	oe Strand (iii) M1 and correct decision based on their fractions written with common denominator,
			with at least one correct
	Alternative method 2		
	$\frac{110}{200}$ or $\frac{140}{250}$	M1	oe
	0.55 and 0.56 or 55(%) and 56(%)	A1	
	Y11 and their 55(%) and their 56(%) or Y11 and their 0.55 and their 0.56	Q1ft	oe Strand (iii) M1 and correct decision based on their decimals or percentages, with at least one correct
	Alternative method 3		
	110 : 200 or 140 : 250	M1	oe
	27.5 : 50 and 28 : 50	A1	oe both ratios correctly written with common right side or left side for comparison
	Y11 and their 27.5 : 50 and their 28 : 50	Q1ft	Strand (iii) oe M1 and correct decision based on their ratios correctly written with common right side or left side for comparison, with at least one correct

8	Alternative method 4		
(cont)	$\frac{200-110}{200}$ or $\frac{250-140}{250}$	M1	oe
	$\frac{45}{100}$ and $\frac{44}{100}$	A1	oe both fractions correctly written with common denominator eg. $\frac{225}{500}$ and $\frac{220}{500}$
	Y11 and their $\frac{45}{100}$ and their $\frac{44}{100}$	Q1ft	oe Strand (iii) M1 and correct decision based on their fractions written with common denominator, with at least one correct
	Alternative method 5		
	$\frac{200-110}{200}$ or $\frac{250-140}{250}$	M1	oe
	0.45 and 0.44 or 45(%) and 44(%)	A1	
	Y11 and their 45(%) and their 44(%) or Y11 and their 0.45 and their 0.44	Q1ft	oe Strand (iii) M1 and correct decision based on their decimals or percentages, with at least one correct
	Alternative method 6		
	(200 – 110) : 200 or (200 – 140) : 250	M1	oe
	22.5 : 50 and 22 : 50	A1	oe both ratios correctly written with common right side or left side for comparison
	Y11 and their 22 : 50	Q1ft	oe Strand (iii) M1 and correct decision based on their ratios correctly written with common right side or left side for comparison, with at least one correct

9(a)	(x+a)(x+b)	M1	where $ab = \pm 24$ or $a + b = 10$
	(x+4)(x+6)	A1	oe

9(b) $x = -4$ and $x = -6$	B1ft	ft their factorisation from part (a)
-----------------------------------	------	--------------------------------------

10	Alternative method 1		
	$4\frac{1}{2} \times 3\frac{3}{4}$ or $\frac{9}{2}$ or $\frac{15}{4}$	M1	
	$\frac{9}{2} \times \frac{15}{4}$ or $\frac{135}{8}$	M1dep	
	$16\frac{7}{8}$	A1	oe mixed number
	Alternative method 2		
	4.5 × 3.75 or 15 or 1.875	M1	
	Full method to evaluate 4.5 x 3.75	M1dep	allow one error
	16.875	A1	condone rounding or truncation after correct answer seen

11	3y = 12 - 4x		oe
	or $\frac{4x}{3} + y = 4$	M1	
	or $\frac{12-4x}{3}$		
	$y = \frac{12 - 4x}{3}$		ое
	or $y = \frac{4(3-x)}{3}$	A1	
	or $y = 4 - \frac{4x}{3}$		
12(a)	5	B1	
12(b)	(0, -4)	B1	
13	10.8 x 10 ⁽⁵⁻²⁾ or 10.8 x 10 ³ or 540 000 x 0.02 or 5400 x 2 or 10 800	M1	oe
	1.08 x 10 ⁴	A1	SC1 1.1 x 10 ⁴

14	Alternative me	thod 1		
	8f + 4c = 40.2(0)	6f + 3c = 30.15	M1	oe
	and	and		allow one error
	3f + 4c = 19.2(0)	6f + 8c = 38.4(0)		
	5 <i>f</i> = 21(.00)	5 <i>c</i> = 8.25	M1dep	oe correct elimination of one unknown for their equations
	(f=) 4.2(0)	(<i>c</i> =) 1.65	A1	
	21.75		A1	oe
	Alternative me	thod 2		
	3f + 4(10.05 - 2f)	= 19.2(0)	M1	oe
	or $2\left(\frac{19.2(0)-4c}{3}\right)$	+ <i>c</i> = 10.05		allow one error
	5 <i>f</i> = 21(.00)	5 <i>c</i> = 8.25	M1dep	oe correct elimination of one unknown for their equations
	(f=) 4.2(0)	(<i>c</i> =) 1.65	A1	
	21.75		A1	oe
	Alternative me	thod 3		
	5 <i>f</i> + 5 <i>c</i> = 29.25		M1	
	$f + c = 29.25 \div 5$ o	r f + c = 5.85	M1dep	
	(f=) 4.2(0) or $(c=)$	1.65	A1	
	21.75		A1	
	Alternative me	thod 4		
	5 <i>f</i> + 5 <i>c</i> = 29.25		M1	
	$f + c = 29.25 \div 5$ o	r <i>f</i> + <i>c</i> = 5.85	M1dep	
	2f + 2c = 10.7(0)		A1	
	21.75		A1	

15	$x(x-2)$ or x^2-2x	M1	oe any correct common denominator seen
	4x - 3(x - 2) or $4x - 3x + 6$	M1dep	oe correct numerator seen for their denominator, may be written as separate fractions
	$\frac{x+6}{x(x-2)} \text{or} \frac{x+6}{x^2-2x}$	Q1	oe Strand (ii) correct answer with no errors in working

16	$(\sqrt{10} =)\sqrt{5} \times \sqrt{2}$ or $\sqrt{5 \times 2}$		oe
	or $(\sqrt{20} =)\sqrt{5} \times \sqrt{4}$ or $\sqrt{5} \times 4$ or $2\sqrt{5}$		
	or $3\sqrt{200}$ or $3\sqrt{100 \times 2}$		
	or $3\sqrt{10\times10\times2}$ or $3\sqrt{25\times8}$		
	or $3\sqrt{5\times5\times8}$ or $3\sqrt{25\times2\times2\times2}$	M1	
	or $3\sqrt{5\times5\times2\times2\times2}$		
	or $(3\sqrt{20} =)6\sqrt{5}$ or $3 \times 2\sqrt{5}$		
	or $6\sqrt{50}$ or $7\sqrt{50}$		
	or $(\sqrt{50} =)\sqrt{25} \times \sqrt{2}$ or $\sqrt{5 \times 5 \times 2}$ or $5\sqrt{2}$		
	$30\sqrt{2}$ or $3\times10\sqrt{2}$		oe
	or $35\sqrt{2}$ or $7 \times 5\sqrt{2}$	M1dep	
	or $13\sqrt{50}$ or $\sqrt{10} \times 13\sqrt{5}$		
	65	A1	allow $65\sqrt{2}$

16	Additional Guidance
	First method mark is for any useful first step

17	$15x^2 - 6xy - 20xy + 8y^2$	M1	allow one error
	$15x^2 - 6xy - 20xy + 8y^2$	A1	fully correct
	$15x^2 - 26xy + 8y^2$	A1ft	ft their four terms do not ignore further work for final mark

18	$x^{2} + ax + ax + (a^{2})$ or $x^{2} + 2ax + (a^{2})$ or $2a = 8$ or $a^{2} + b = 7$	M1	
	$(x + 4)^2$ or $a = 4$ or $b = -9$	A1	
	$(x+4)^2-9$	A1	allow $a = 4$ and $b = -9$

19	Alternative method 1		
	$\left(\frac{1}{R}=\right) \frac{1}{0.6} + \frac{1}{1.8}$	M1	oe
	$\left(\frac{1}{R} = \right) \frac{3}{1.8} \left(+ \frac{1}{1.8} \right)$	M1dep	oe
	$\left(\frac{1}{R}\right) = \frac{4}{1.8} \text{ or } (R=) = \frac{1.8}{4}$	M1dep	oe
	0.45	A1	oe fraction or decimal
	Alternative method 2		
	$\left(\frac{1}{R} = \right) \frac{1}{\frac{6}{10}} + \frac{1}{\frac{18}{10}} \text{ or } \left(\frac{1}{R} = \right) \frac{1}{\frac{3}{5}} + \frac{1}{\frac{9}{5}}$	M1	oe
	$\frac{10}{6}$ or $\frac{30}{18}$ or $\frac{10}{18}$ or $\frac{5}{3}$ or $\frac{15}{9}$ or $\frac{5}{9}$	M1dep	oe
	$\left(\frac{1}{R}\right) = \frac{40}{18} \text{ or } \left(\frac{1}{R}\right) = \frac{20}{9}$	M1dep	oe
	$\frac{18}{40}$ or $\frac{9}{20}$	A1	oe fraction or decimal
	Alternative method 3		
	$\frac{1}{R} = \frac{R_2 + R_1}{R_1 R_2}$	M1	
	$\frac{R_1 R_2}{R_2 + R_1}$ or $\left(\frac{1}{R} = \right) \frac{1.8 + 0.6}{0.6 \times 1.8}$	M1dep	oe
	$\frac{0.6 \times 1.8}{1.8 + 0.6}$ or $\frac{0.6 \times 1.8}{2.4}$ or $\frac{1.8}{4}$	M1dep	oe
	0.45	A1	oe fraction or decimal

20	$\frac{1}{8^{\frac{2}{3}}} \text{ or } \frac{1}{\sqrt[3]{8^2}} \text{ or } \frac{1}{(\sqrt[3]{8})^2} \text{ or } \sqrt[3]{8} = 2$ or $\frac{1}{2^2}$ or 2^{-2} or 4^{-1} or $2^2 = 4$	M1	
	$\frac{1}{4}$ or 0.25	A1	

21	m = 5	B1	
	$(3^2)^p = 3^m \text{ or } 3^{2p} = 3^m$		
	or $(3^2)^p = 3^{\text{their 5}}$ or $3^{2p} = 3^{\text{their 5}}$		
	or $3^5 = 243$ or $3^{\text{their 5}} = (\sqrt{9})^{\text{their 5}}$	M1 oe	
	or 3 ^{their 5} correctly evaluated		UE .
	$9^p = 9^{\frac{m}{2}}$ or $9^p = 3^{\text{their 5}}$		
	or $9^p = 243$ or $3^{2p} = 243$		
	$2p = m$ or $2p = $ their 5 or $9^p = 9^{\frac{\text{their 5}}{2}}$	M1	oe
			oe
	<i>p</i> = 2.5	A1ft	ft for values of m and p where $p = \frac{m}{2}$