



Tuesday 12 May 2015 – Afternoon

GCSE TWENTY FIRST CENTURY SCIENCE BIOLOGY A/SCIENCE A

A161/01 Modules B1 B2 B3 (Foundation Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour



| Candidate forename | | | | | Candidate surname | | | | |
|--------------------|--|--|--------------|-------|-------------------|--|--|--|--|
| | | | | | | | | | |
| Centre number | | | Candidate nu | umber | | | | | |

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

INFORMATION FOR CANDIDATES

- The quality of written communication is assessed in questions marked with a pencil ().
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 60.
- This document consists of 20 pages. Any blank pages are indicated.



2 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

Answer **all** the questions.

1 Every person has two alleles for a gene.

These alleles can be dominant or recessive.

(a) Draw one straight line from each pair of alleles to the characteristic that the person would have.

Pair of alleles

two dominant alleles

the dominant characteristic

one dominant and one recessive allele

the recessive characteristic

two recessive alleles

(b) Cystic fibrosis and Huntington's disease are genetic disorders.

Each disorder is controlled by one gene with two alleles.

Put **one** tick (\checkmark) in each row to match the symptom with the correct disorder.

| Symptom | Cystic fibrosis | Huntington's disease |
|------------------|-----------------|----------------------|
| Chest infections | | |
| Memory loss | | |
| Thick mucus | | |
| Tremor | | |

[2]

[2]

| (| c) |) Harold | has c | vstic | fibrosis. |
|---|----|-----------|-------|-------|------------|
| ٦ | · | , ilalola | nas o | youc | IIDI OSIS. |

Hilda is a carrier for the disease.

Hilda is pregnant.

Harold is the father of the unborn baby.

Harold draws a Punnett square to work out the probability of the baby having cystic fibrosis.

Harold thinks he may have made some mistakes in his Punnett square.

| Key | : | | | |
|-----|-----------------------------------|-------|-----|------|
| | normal allele ystic fibrosis a | llele | Har | rold |
| | | | f | f |
| | Hilda | F | ff | Ff |
| | i iilda | f | ff | FF |

(i) Has Harold made mistakes in his Punnett square?

Explain your answer.

| | | ro. |
|------|------|-----|
| | | |
| | | |
| | | |

| (ii) | Write down the correct probability of Harold and Hilda's baby having cystic fibrosis. |
|------|--|
| | |
| | probability = [1] |
| | [Total: 7] |

Turn over for the next question

| Poppy is two years old. |
|--|
| Her mother is pregnant with another baby. |
| The new baby has the same father as Poppy. |
| However, the new baby will look different to Poppy and to both of her parents. |
| Explain why. |
| The quality of written communication will be assessed in your answer. |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| [6] |
| [Total: 6] |

7 3 When a baby is born, stem cells are found in the fluid (amniotic fluid) surrounding it. Another type of stem cell is found in the embryo itself. These are called embryonic stem cells. If a baby is born before it is due, its intestines may not be fully developed. In the future, it may be possible to treat this problem using stem cells. Look at the statements A to F. Α Embryonic stem cells can develop into all types of cells. В Removal of amniotic fluid is not a difficult procedure. C Stem cells from the amniotic fluid will not be rejected by the baby. D It is difficult to store amniotic fluid from every birth just in case it is needed. Ε Using stem cells to treat underdeveloped intestines has only been done on rats. F Removing embryonic stem cells may result in the death of the embryo. Which **one** of the statements, **A** to **F**, best suggests why it may be ... (a) ... more ethical to use amniotic stem cells instead of embryonic stem cells? [1] **(b)** ... easier to obtain stem cells from amniotic fluid than from embryos? [1] (c) ... more successful to use the baby's own stem cells than stem cells from a donor? [1] (d) ... that embryonic stem cells still have the best potential to treat many different conditions?

© OCR 2015 Turn over


.....

[1]

[Total: 4]

4 Blood vessels are the tubes that carry blood around the body.

The diagram shows cross-sections of blood vessels ${\bf A}$ and ${\bf B}$.



Not to scale

| (a) | (i) | Fred thinks that A is an artery and B is a vein. |
|-----|------|--|
| | | Is Fred correct? Describe the evidence shown in the diagram that supports you decision. |
| | | |
| | | [2 |
| | (ii) | Suggest another feature not shown in the diagram that would be found in a vein. |

......[1]

| | | | | | , | • | | | | |
|-----|------|----------------------------------|--|---------------|----------------|---------------|--------------|------------------|-----|--|
| (b) | (i) | Leo is in | hosp | ital recover | ring from a h | eart attack. | | | | |
| | | A , B , C a | and D | describe s | stages in a h | eart attack. | | | | |
| | | The stag | The stages are not in the correct order. | | | | | | | |
| | | | | | | | | | | |
| | | Α | The | e heart mus | scle is starve | ed of oxygen | | | | |
| | | В | Fat | ty deposits | build up in I | olood vessel | s supplying | the heart. | | |
| | | С | Ce | lls in the he | eart muscle | die. | | | | |
| | | D | Les | ss blood rea | aches the he | eart muscle. | | | | |
| | | Write the | lotto | ara Ata Dir | n the boxes t | co show the | oorroot ordo | r | | |
| | | vviite tile | ielle | 15 A 10 D II | Title boxes | .o snow the | Torrect orde | i. I | | |
| | | | | | | | | | | |
| | | | | | | | | | [2] | |
| | (ii) | Leo is 40 |) yeaı | rs old. | | | | | | |
| | () | | - | | meone to h | ave heart dis | sease. | | | |
| | | | | - | Leo might h | | | ne of 40 | | |
| | | \wedge | | | | | | d in your answe | or. | |
| | | | ne qu | ianty of wit | iteri commu | incation will | De assesse | ı ili your answe | 7. | |
| | | | | | ••••• | | | ••••• | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |


| (c) | (i) | A doctor can prescribe drugs to treat heart disease. | |
|-----|------|--|----------|
| | | It is now possible to genetically test people before prescribing drugs. | |
| | | What are the benefits of this type of genetic testing? | |
| | | Put ticks (✓) in the boxes next to the three correct answers. | |
| | | Each drug works in the same way in every person. | |
| | | Less money is wasted prescribing drugs that don't work. | |
| | | Doctors don't have to learn about so many drugs. | |
| | | People won't have to visit the doctor any more. | |
| | | The drugs will always cure the patient from the disease. | |
| | | It may reduce the number of people who suffer dangerous side effects. | |
| | | The doctor can adjust the dose of the drug to suit the patient. | [3] |
| | (ii) | Some people believe that this type of genetic testing should be compulsory for e | everyone |
| | | Which of the following are ethical reasons why people might object to co testing? | mpulsory |
| | | Put ticks (✓) in the boxes next to the two best ethical reasons. | |
| | | Some people might be discriminated against when the test result is known | |
| | | Some people might find the test painful. | |
| | | It will cost too much money to test everyone. | |
| | | The results of the test might be inaccurate. | |
| | | Everyone should have the right to choose whether they are tested or not. | |
| | | | [2] |

[Total: 16]

5 Measles is a very infectious and potentially deadly disease.

It is caused by a virus.

(a) The graph shows the number of measles cases reported in South Wales between October 2012 and June 2013.




Describe the **pattern** shown by the data on the graph.

| Use figures from the graph in your answer. | |
|--|-----|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | 131 |

(b) The MMR vaccination against measles, mumps and rubella is offered to babies in the UK when they are one year old.


Some parents do not have their babies vaccinated.

Here are some reasons why.



| (1) | who has properly considered their social responsibilities? | |
|-------|---|------------|
| | | [1] |
| (ii) | Which person gives a reason why the MMR vaccination should be made compulsory | <i>ı</i> ? |
| | | [1] |
| (iii) | Which two people have not properly considered the scientific evidence about the danger of measles? | gers |
| | and | [1] |
| (iv) | Hilary is worried that the MMR vaccine is too risky. | |
| | Write down one risk and one benefit to the baby being vaccinated. | |
| | risk | |
| | | |
| | benefit | |
| | | . [2] |
| | [Tota | l: 8] |

6 Sewage (animal waste) from a farm is released directly into a river.



Five samples of water are tested at each site, A, B, C, D and E.

The number of mayfly nymphs found in each sample is recorded in a table.

Mayfly nymphs are young stages of mayflies.


| | Number of mayfly nymphs found in each sample | | | | |
|---|--|--------|--------|--------|--------|
| Sample | Site A | Site B | Site C | Site D | Site E |
| 1 | 12 | 0 | 0 | 6 | 9 |
| 2 | 11 | 0 | 2 | 5 | 11 |
| 3 | 13 | 0 | 1 | 5 | 10 |
| 4 | 11 | 1 | 1 | 6 | 11 |
| 5 | 12 | 0 | 0 | 5 | 2 |
| mean (rounded to nearest whole number) | 12 | 0 | 1 | 5 | |

| (a) | (i) | One of the results for site E is an outlier. | |
|-----|------|---|---------|
| | | Draw a circle around this result in the table. | [1] |
| | (ii) | Calculate the mean number of mayfly nymphs found at site E . | |
| | | You should ignore the outlier. | |
| | | Show your working. | |
| | | | |
| | | | |
| | | mean (average) number of mayfly nymphs = | [2] |
| (b) | Joe | makes some conclusions from the data. | |
| | Whi | ch two statements, when taken together, correctly explain the data? | |
| | Put | ticks (✓) in the boxes next to the two statements. | |
| | | The water at site B is most polluted. | |
| | | Mayfly nymphs are adapted to living in polluted water. | |
| | | Mayfly nymphs cannot survive well in polluted water. | |
| | | Pollution in the river increases away from the farm. | |
| | | Mayfly nymphs are present in the sewage entering the river. | |
| | | Mayfly nymphs are eaten by fish in the river. | [2] |
| | | | 121 |

(c) Sewage contains chemicals that can be broken down into nitrates.

Nitrates are found in the soil.

The diagram shows part of the nitrogen cycle.



Use the diagram to explain what is happening at arrows A, B and C.

| The quality of written communication will be assessed in your answer. |
|---|
| |
| |
| |
| |
| |
| |
| |
| [6] |

[Total: 11]

| 7 | In 2011, a huge eartho | juake in Japan cause | d a radiation leak from | a nuclear power station. |
|---|------------------------|----------------------|-------------------------|--------------------------|
| | | | | |

Two months later, butterflies were collected in a number of different areas near the power station.

Some of the butterflies had much smaller wings than normal butterflies, and irregular shaped eyes.

(a) Some scientists believe that the radiation caused a random change in the genes of the butterflies.


What name is given to a random change in a gene?

Put a (ring) around the correct answer.

evolution isolation mutation variation [1]

(b) Butterflies collected closer to the power station had more genetic changes than those collected further away.

Scientists start to draw a graph to show their results.



- (i) On the graph:
 - complete the axis label
 - draw a line to show the relationship between the distance from the nuclear power station and the number of genetic changes.
 [2]
- (ii) Scientists cannot be certain that radiation is causing the genetic changes in the butterflies.

| ggest wny. | |
|------------|-----|
| | |
| | |
| | |
| | |
| | |
| | [2] |

| (c) | Genetic changes can contribute to the process of natural selection. |
|-----|---|
| | Explain how. |
| | |
| | |
| | |
| | |
| | |
| | [3] |
| | [Total: 8] |

END OF QUESTION PAPER

19

BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2015