

Centre number						Candidate number					
---------------	--	--	--	--	--	------------------	--	--	--	--	--

## **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.

- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

## **INFORMATION FOR CANDIDATES**

- The quality of written communication is assessed in questions marked with a pencil  $(\mathscr{P})$ .
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is **60**.
- The Periodic Table is printed on the back page.
- This document consists of **16** pages. Any blank pages are indicated.

### Answer **all** the questions.

 Large amounts of nitrogen gas in the air are turned into nitrogen compounds every year. This is called 'fixing' the nitrogen. It happens by different routes.

Route for fixing nitrogen	Amount of nitrogen fixed in million tonnes per year
burning fuels	20
making chemicals in industry	50
lightning in thunderstorms	10
growing crops on farms	90
trees growing	50
plankton in the sea	35

The table shows how much nitrogen is fixed every year by each route.

(a) Which route fixes the most nitrogen in a year?

.....[1]

(b) One of these routes is the Haber process for making ammonia.

Use the table to suggest how much nitrogen is fixed each year by the Haber process.

..... million tonnes [1]

(c) In the Haber process, nitrogen and hydrogen react. Ammonia is the only substance made.Write a word equation for this reaction.


.....[1]

(d) The hydrogen needed for the Haber process is made in a separate reaction.

Which two substances are needed for this reaction?

Put a tick ( $\checkmark$ ) in the box next to the correct answer.

hydrogen and steam natural gas and steam nitrogen and steam water and steam



2

(e) The UK makes 3000 tonnes of ammonia every day.
 For every tonne of ammonia, 1.6 tonnes of carbon dioxide are made.
 Half of this carbon dioxide can be captured.

How much carbon dioxide can be captured each day?

..... tonnes [2]

(f) Most of the ammonia is used to make fertilisers. Fertilisers are very useful, but can cause pollution.


Suggest why fertilisers are useful and how they might cause pollution.

.....[2]

(g) Nitrogen is also fixed by some plants. They use bacteria in their roots. These bacteria need different conditions from the Haber process.

Finish the sentences about the conditions for bacteria to fix nitrogen in plants.

Put ticks ( $\checkmark$ ) in the boxes next to the correct terms.



[3]

- 4
- (h) The table shows some chemicals which are manufactured. Chemicals such as ammonia are made on a large scale. Some other chemicals are made on a small scale.

Put ticks ( $\checkmark$ ) in the boxes to complete the table.

Chemical	Large scale	Small scale
food additives		
phosphoric acid		
sodium hydroxide		
fragrances for perfumes		

[2]

[Total: 13]

2 Some 'green' buses use biodiesel which is a fuel that has been made from waste fats and cooking oil.
The fate and ails are actern.


The fats and oils are esters.



(a) Most oils are made by plants.

How do plants use the oils that they make?

Put a tick ( $\checkmark$ ) in the box next to the correct answer.



to make them taste nasty

to make them float in water

(b) Most fats are made by animals. The esters in animal fats are different from the esters in plant oils.

What is the difference between these esters?

Use words from the list to complete the sentence.

## glycerol saturated fatty acid unsaturated

Animal fats have mostly ..... molecules and oils have mostly

..... molecules.

5

[2]

(c) A catalyst is used to turn the fats and oils into biodiesel. The usual catalyst is hot concentrated sodium hydroxide.

Scientists are investigating a new catalyst. The new catalyst is called an enzyme.

Here is some information about both catalysts.

Features of enzyme	Features of hot concentrated sodium hydroxide		
needs gentle heating	needs strong heating		
easy to remove from the reaction mixture	dissolves in reaction mixture		
speeds up this reaction only	speeds up other reactions which produce waste material		
expensive	very cheap		

Identify the **advantages** and **disadvantages** of using the enzyme, and explain which catalyst is best.

 	[6]

- Diagram A using enzyme Diagram **B** – using sodium hydroxide catalyst catalyst activation activation energy reactants reactants energy energy energy products products progress of reaction progress of reaction Give one similarity and one difference between the changes shown in these diagrams. .....[2] (e) The formula of one substance in biodiesel is  $C_{19}H_{38}O_2$ . Biodiesel burns completely if there is plenty of air. Suggest the two substances which are produced. [Total: 13]
- (d) Scientists draw energy level diagrams for the reactions.

- **3** Fred investigates ethanoic acid.
  - (a) The formula of ethanoic acid is  $CH_3COOH$ .
    - (i) How many different elements are there in CH<sub>3</sub>COOH?
    - .....[1] How many atoms of carbon are there in the formula CH<sub>3</sub>COOH? (ii) .....[1] Which part of the formula shows you that CH<sub>3</sub>COOH is a carboxylic acid? (iii) Put a (ring) around the correct answer. CH<sub>3</sub> СО OH COOH [1] This acid is a weak acid. What does this mean? (iv) Put a tick ( $\checkmark$ ) in the box next to the correct answer. Its formula contains carbon, hydrogen and oxygen. It is more dilute than acids such as hydrochloric acid. It is less reactive than acids such as hydrochloric acid. It is more runny than acids such as hydrochloric acid. [1]
    - (v) Fred compares solutions of this weak acid with a strong acid of the same concentration.How do the pH values of the two solutions compare?


Put a tick ( $\checkmark$ ) in the box next to the correct answer.

The weak acid has a higher pH.

The weak acid has the same pH.

The weak acid has a lower pH.

The weak acid has a much lower pH.




[1]

- (b) Fred reacts the acid with ethanol to make an ester.
  - (i) Which of these is a property of esters?

Put a tick ( $\checkmark$ ) in the box next to the correct answer.

They are all solids.	
They give off purple fumes.	
They have distinctive smells.	
They have a distinctive colour.	



The equation for the reaction is (ii)

ethanoic acid + ethanol  $\rightleftharpoons$  ester + water

What does the symbol  $\rightleftharpoons$  tell you?


Put a tick ( $\checkmark$ ) in the box next to the correct answer.

The reaction is fast.

The reaction is reversible.

The reaction is exothermic.

The reaction is hard to control.



What happens when it is at equilibrium?

Put a tick ( $\checkmark$ ) in the box next to the correct answer.


Only reactants are present. Only products are present. Reactants and products are both present.

[1]

[1]

[1]

- 10
- (iv) Fred measures the amount of ester made in the reaction to see how it changes with time.



Use the graph to describe how the amount of ester changes.



(c) Fred needs to calculate the relative formula mass of ethanol to work out the overall yield of the reaction.

Calculate the relative formula mass of ethanol,  $C_2H_5OH$ .

In your answer, use the relative atomic masses from the Periodic Table.

.....[1]

[Total: 12]

- 4 When chemical engineers design an industrial process, they make it as sustainable as possible. One of the things that they consider is the energy changes during the chemical reaction.
  - (a) During a reaction, chemical bonds are broken and new bonds are made.

Put ticks ( $\checkmark$ ) in the boxes to complete these sentences.

When chemical bonds are broken, energy is

taken in	
given out	
not needed	

When chemical bonds are made, energy is

taken in	
given out	
not needed	

If more energy is taken in than is given out the reaction is

endothermic	
exothermic	•

Some energy is usually needed to start the reaction.

This energy is the

activation energy	
green energy	
geothermal energy	
energy output	

.

[3]

- (b) The industrial processes are more likely to be sustainable if:
  - renewable chemicals are used
  - there are few by-products.

Explain what '**renewable**' and '**by-products**' mean, and how they affect the sustainability of the process.

The quality of written communication will be assessed in your answer.

[6]


[Total: 9]

13 BLANK PAGE

# PLEASE DO NOT WRITE ON THIS PAGE

Turn over for the next question

5 Ben uses paper chromatography to analyse the ink from his pen. He puts the bottom of the paper in water and leaves it for a few hours. The diagram shows his result.



(a) Explain why there are two spots, and why **Spot 1** is higher than **Spot 2**.

The quality of written communication will be assessed in your answer.

 	 [6]

(b) Use this formula to calculate the *Rf* value for **Spot 1**.

 $Rf = \frac{\text{distance travelled by spot}}{\text{distance travelled by solvent}}$ 

Show your working.

*Rf* for **Spot 1** = ......[2] (c) Sometimes when scientists do chromatography they have to use locating agents. Explain why. .....[2] (d) A factory makes ink. The ink is made continuously throughout the day. Chromatography is used to test samples of the ink. Take 10 samples at 9 am and 10 samples at 1pm. Take a sample every hour. Jane Mike Explain who has the best approach. .....[3] [Total: 13] END OF QUESTION PAPER



#### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

				16			
0	4 He hettum 2	20 Ne 10	40 Ar <sup>argon</sup> 18	84 Kr <sup>krypton</sup> 36	131 Xe xenon 54	[222] Rn radon 86	t fully
7		19 fluorine 9	35.5 Cl chlorine 17	80 Br <sup>bromine</sup> 35	127 I iodine 53	[210] At astatine 85	orted but no
9		16 O <sup>oxygen</sup> 8	32 S <sup>sulfur</sup> 16	79 Se selenium 34	128 Te tellurium 52	[209] Po polonium 84	ve been repo
5		14 N nitrogen 7	31 Phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi <sup>bismuth</sup>	Elements with atomic numbers 112-116 have been reported but not fully authenticated
4		12 C carbon 6	28 Si silicon 14	73 <b>Ge</b> <sup>germanium</sup> 32	119 <b>Sn</b> tin 50	207 <b>Pb</b> lead 82	mic numbers a
m		11 B <sup>boron</sup> 5	27 Al aluminium 13	70 <b>Ga</b> <sup>gallium</sup> 31	115 In <sup>indium</sup> 49	204 T <i>I</i> thallium 81	nts with ato
				65 Zn <sub>zinc</sub> 30	112 Cd cadmium 48	201 Hg 80	Elemei
				63.5 Cu <sup>copper</sup> 29	108 Ag 47	197 Au <sup>gold</sup> 79	[272] Rg 111
				59 Nickel 28	106 Pd Patladium 46	195 Pt Platinum 78	[271] Ds darmstadtium 110
				59 Co <sup>cobalt</sup> 27	103 Rh r <sup>hodium</sup> 45	192 Ir 77	[268] Mt 109
	1 Hydrogen 1			56 Fe <sup>iron</sup> 26	101 Ru ruthenium 44	190 <b>Os</b> <sup>osmium</sup> 76	[277] Hs hassium 108
				55 Mn <sup>manganese</sup> 25	[98] Tc technetium 43	186 Re <sup>rhenium</sup> 75	[264] Bh <sup>bohrium</sup> 107
		mass ol number		52 Cr chromium 24	96 Mo <sup>molybdenum</sup> 42	184 W tungsten 74	[266] Sg seaborgium 106
	Key	relative atomic mass atomic symbol <sup>name</sup> atomic (proton) number		51 V vanadium 23	93 Nb <sup>niobium</sup> 41	181 Ta tantalum 73	[262] Db <sup>dubnium</sup> 105
		relati <sup>,</sup> ato atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf <sup>hafnium</sup> 72	[261] Rf rutherfordium 104
			_	45 Sc scandium 21	89 Y yttrium 39	139 La* lanthanum 57	[227] Ac* actinium 89
2		9 Be berytlium 4	24 <b>Mg</b> 12	40 Ca calcium 20	88 Sr strontium 38	137 <b>Ba</b> <sup>barium</sup> 56	[226] <b>Ra</b> 88
-		7 Li <sup>lithium</sup> 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr <sup>francium</sup> 87

\* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.