

Tuesday 24 June 2014 – Morning

A2 GCE MATHEMATICS

4734/01 Probability & Statistics 3

QUESTION PAPER

Candidates answer on the Printed Answer Book.

OCR supplied materials:

- Printed Answer Book 4734/01
- List of Formulae (MF1)

Other materials required: • Scientific or graphical calculator Duration: 1 hour 30 minutes

INSTRUCTIONS TO CANDIDATES

These instructions are the same on the Printed Answer Book and the Question Paper.

- The Question Paper will be found inside the Printed Answer Book.
- Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book. Please write clearly and in capital letters.
- Write your answer to each question in the space provided in the Printed Answer **Book.** Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer **all** the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Do **not** write in the bar codes.
- You are permitted to use a scientific or graphical calculator in this paper.
- Give non-exact numerical answers correct to 3 significant figures unless a different degree of accuracy is specified in the question or is clearly appropriate.


INFORMATION FOR CANDIDATES

This information is the same on the Printed Answer Book and the Question Paper.

- The number of marks is given in brackets [] at the end of each question or part question on the Question Paper.
- You are reminded of the need for clear presentation in your answers.
- The total number of marks for this paper is 72.
- The Printed Answer Book consists of **12** pages. The Question Paper consists of **4** pages. Any blank pages are indicated.

INSTRUCTION TO EXAMS OFFICER/INVIGILATOR

• Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.



1 The independent random variables *X* and *Y* have Poisson distributions with parameters 16 and 2 respectively, and $Z = \frac{1}{2}X - Y$.

(i)	Find $E(Z)$ and $Var(Z)$.	[3]
· · /		L- 1

- (ii) State whether *Z* has a Poisson distribution, giving a reason for your answer. [2]
- 2 In a study of the inheritance of skin colouration in corn snakes, a researcher found 865 snakes with black and orange bodies, 320 snakes with black bodies, 335 snakes with orange bodies and 112 snakes with bodies of other colours. Theory predicts that snakes of these colours should occur in the ratios 9:3:3:1. Test, at the 5% significance level, whether these experimental results are compatible with theory. [6]
- 3 An athlete finds that her times for running 100 m are normally distributed. Before a period of intensive training, her mean time is 11.8 s. After the period of intensive training, five randomly selected times, in seconds, are as follows.

11.70 11.65 11.80 11.75 11.60

Carry out a suitable test, at the 5% significance level, to investigate whether times after the training are less, on average, than times before the training. [7]

- 4 Cola is sold in bottles and cans. The volume of cola in a bottle is normally distributed with mean 500 ml and standard deviation 10 ml. The volume of cola in a can is normally distributed with mean 330 ml and standard deviation 8 ml. Find the probability that the total volume of cola in 2 randomly selected bottles is greater than 3 times the volume of cola in a randomly selected can. [7]
- 5 The day before the 1992 General Election, an opinion poll showed that 37.6% of a random sample of 1731 voters intended to vote for the Conservative party.
 - (i) Calculate an approximate 99.9% confidence interval for the proportion of voters intending to vote Conservative.
 [4]

The actual proportion voting Conservative was above the upper limit of the confidence interval.

- (ii) Give two possible reasons for this occurrence. [2]
- (iii) What sample size would be required to produce a 99.9% confidence interval of width 0.05? [3]

6 The continuous random variable *X* has probability density function given by

$$f(x) = \begin{cases} k \sin x & 0 \le x \le \frac{1}{2}\pi, \\ k(2 - \frac{2x}{\pi}) & \frac{1}{2}\pi \le x \le \pi, \\ 0 & \text{otherwise,} \end{cases}$$

where k is a constant.

(i) Show that
$$k = \frac{4}{4 + \pi}$$
. [4]

- (ii) Find E(X), correct to 3 significant figures, showing all necessary working. [4]
- 7 A random sample of 100 adults with a chronic disease was chosen. Each adult was randomly assigned to one of three different treatments. After six months of treatment, each adult was then assessed and classified as 'much improved', 'slightly improved' or 'no change'. The results are summarised in Table 1.

	Treatment A	Treatment B	Treatment C
Much improved	12	16	4
Improved	13	12	6
Slightly improved	7	6	7
No change	5	3	9

Table 1

A χ^2 test, at the 5% significance level, is to be carried out.

(i) State suitable hypotheses.

Combining the last two rows of Table 1 gives Table 2.

	Treatment A	Treatment B	Treatment C
Much improved	12	16	4
Improved	13	12	6
Slightly improved/ No change	12	9	16

Table 2

- (ii) By considering the expected frequencies for Treatment C in Table 1, explain why it was necessary to combine rows.[3]
- (iii) Show that the contribution to the χ^2 value for the cell 'slightly improved/no change, Treatment C' is 4.231, correct to 3 decimal places. [3]

You are given that the χ^2 test statistic is 10.51, correct to 2 decimal places.

(iv) Carry out the test.

[2]

[1]

8 A random sample of 20 plots of land, each of equal area, was used to test whether the addition of phosphorus would increase the yield of corn. 10 plots were treated with phosphorus and 10 plots were untreated. The yields of corn, in litres, on a treated plot and on an untreated plot are denoted by *X* and *Y* respectively. You are given that

$$\Sigma x = 2112, \quad \Sigma y = 2008$$

You are also given that an unbiased estimate for the variance of treated plots is 87.96 and an unbiased estimate for the variance of untreated plots is 31.96, both correct to 4 significant figures.

- (i) You may assume that the population variance estimates are sufficiently similar for the assumption of common variance to be made. What other assumption needs to be made for a *t*-test to be valid? [1]
- (ii) Carry out a suitable *t*-test at the 1% significance level, to test whether the use of phosphorus increases the yield of corn. [9]
- 9 A rectangle of area $A \text{ m}^2$ has a perimeter of 20 m and each of the two shorter sides are of length Xm, where X is uniformly distributed between 0 and 2.
 - (i) Write down an expression for A in terms of X, and hence show that $A = 25 (X-5)^2$. [3]
 - (ii) Write down the probability density function of *X*.
 - (iii) Show that the cumulative distribution function of A is

$$F(a) = \begin{cases} 0 & a < 0, \\ \frac{1}{2}(5 - \sqrt{25 - a}) & 0 \le a \le 16, \\ 1 & a > 16. \end{cases}$$
[5]

[1]

[2]

(iv) Find the probability density function of A.

END OF QUESTION PAPER



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series. If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible

If OCH has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCH will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.