

GCSE

Methods in Mathematics (Pilot)

Unit B392/01: Methods in Mathematics 2 (Foundation Tier)

General Certificate of Secondary Education

Mark Scheme for November 2014

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2014

Annotations used in the detailed Mark Scheme.

Annotation	Meaning
✓	Correct
×	Incorrect
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working (after correct answer obtained), provided method has been completed
MO	Method mark awarded 0
M1	Method mark awarded 1
M2	Method mark awarded 2
A1	Accuracy mark awarded 1
B1	Independent mark awarded 1
B2	Independent mark awarded 2
MR	Misread
SC	Special case
^	Omission sign

These should be used whenever appropriate during your marking.

The **M**, **A**, **B**, etc annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks. It is vital that you annotate these scripts to show how the marks have been awarded.

It is not mandatory to use annotations for any other marking, though you may wish to use them in some circumstances.

Subject-Specific Marking Instructions

- M marks are for <u>using a correct method</u> and are not lost for purely numerical errors.
 A marks are for an <u>accurate</u> answer and depend on preceding M (method) marks. Therefore M0 A1 cannot be awarded.
 B marks are <u>independent</u> of M (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.
 SC marks are for <u>special cases</u> that are worthy of some credit.
- 2. Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is <u>not from wrong working</u> **full marks** should be awarded.

Do not award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen and the correct answer clearly follows from it.

3. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT 180 × (*their* '37' + 16), or FT 300 – $\sqrt{(their '5^2 + 7^{2'})}$. Answers to part questions which are being followed through are indicated by eg FT 3 × *their* (a).

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

- 4. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
- 5. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
 - a. **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
 - b. isw means ignore subsequent working after correct answer obtained and applies as a default.
 - c. nfww means not from wrong working.
 - d. **oe** means **or equivalent**.
 - e. rot means rounded or truncated.
 - f. **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
 - g. soi means seen or implied.
- 6. In questions with no final answer line, make no deductions for wrong work after an acceptable answer (ie **isw**) unless the mark scheme says otherwise, indicated by the instruction 'mark final answer'.
- 7. In questions with a final answer line following working space,
 - (i) if the correct answer is seen in the body of working and the answer given on the answer line is a clear transcription error allow full marks unless the mark scheme says 'mark final answer'. Place the annotation ✓ next to the correct answer.

Mark Scheme

- (ii) if the correct answer is seen in the body of working but the answer line is blank, allow full marks. Place the annotation ✓ next to the correct answer.
- (iii) if the correct answer is seen in the body of working but a completely different answer is seen on the answer line, then accuracy marks for the answer are lost. Method marks could still be awarded. Use the M0, M1, M2 annotations as appropriate and place the annotation
 × next to the wrong answer.
- 8. In questions with a final answer line:
 - (i) If one answer is provided on the answer line, mark the method that leads to that answer.
 - (ii) If more than one answer is provided on the answer line and there is a single method provided, award method marks only.
 - (iii) If more than one answer is provided on the answer line and there is more than one method provided, award zero marks for the question unless the candidate has clearly indicated which method is to be marked.
- 9. In questions with no final answer line:
 - (i) If a single response is provided, mark as usual.
 - (ii) If more than one response is provided, award zero marks for the question unless the candidate has clearly indicated which response is to be marked.
- 10. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the MR annotation. **M** marks are not deducted for misreads.
- 11. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
- 12. Ranges of answers given in the mark scheme are always inclusive.
- 13. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
- 14. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

Question		on	Answer	Marks	Part Marks and Guidance		
1			A 32, 26 B 250, 1250 C 25, 36	1,1 1,1 1,1			
2	(a)		7239	2	M1 for 6859 or 361		
	(b)		17	1			
3	(a)		[<i>x</i> =] 6	1	Allow embedded		
	(b)		[<i>x</i> =] 75	1	Allow embedded		
	(c)		[x =] 40	1	Allow embedded		
4	(a)		£3.50	2	M1 for 70(p) or 5 × 4.20 and 10 × 2.45 SC1 £13.30 or £4.90 [add or £4.90]	3.5 scores 1	
	(b)		£6.50	2	Or FT 3 + their (a) if consistent error M1 for 10 × 2.45 – 18 SC2 £16.30 or SC1 14 × 2.45 – 18		
5	(a)		Н	1			
	(b)		В	2	M1 for evidence of correct perimeter for 2 shapes	A 12 B 14 C12 D 10 E 12 F 12 G 12 H 12	
	(c)		A and G	1			
6			a = 24 b = 31 c = 29	1 1 1	Or FT their <i>a</i> Or FT their <i>a</i> and <i>b</i>		

Question		Answer	Marks	Part Marks and Guidance		
7	(a)	£504	2	M1 for 168 or 2520 or 0.6 × 840		
	(b)	£630	2	M1 for 210 or 0.75 × 840		
	(c)	£9	1		Allow £81 if consistent misread 'off 'for 'of' in (b)(c)	
	(d)	£10.50	2	M1 for 0.15 × 70 or 3.50 or 10.5	Allow £59.50 for 2 marks if consistent misread 'off 'for 'of' in (b)(c)(d)	
8	(a)	13 and 23	2	M1 for attempting product with units digit 9 or for three 2-digit prime numbers found or for 13 and 23 seen		
	(b)	-1 0 1 2 3 4	2	M1 for 4 or 5 correct or all correct with 1 extra		
9	(a)	17	2	M1 for 5, 8, 11		
	(b)	14(th)	3	M2 for $3n + 2 = 44$ Or M1 for $3n + k$ or listing at least to 10^{th} shape (may have 1 addition error)		
10	(a)	40	1			
	(b)	52	1			
	(c)	2	1			
	(d)	1/16 oe	1		0.0625	
11		B because [Volume] A 60 × 25 × 34 = 51000 and B 46 ×32 × 35 = 51520	3	For 3 marks accept eg A $l \times b \times h =$ 51000 and B $l \times b \times h =$ 51520 2 51000 and/or 51520 1 60 × 25 × 34 or 46 × 32 × 35 isw		

Question		on	Answer	Marks	Part Marks and Guidance		
12	2 (a) B C		B (5, 3) C (8, 5)	1 1			
	(b)		A (2,1)	2	M1 for A marked in correct position		
	(C)		3.61	3	M2 for BC ² = $2^2 + 3^2$ Or $\sqrt{2^2 + 3^2}$ Or M1 right angled triangle indicated with 2 and 3 shown	Condone 3.60	
13	(a)		a=41 b=64 c=41 d=75	1 1 1 1	If 0 for a and c, allow SC1 for a = c		
	(b)	(i)	72	2	M1 for angle AOB = 360/5		
		(ii)	108	2	Or FT 180 – their (b)(i) M1 angle OAB = (180 - <i>their</i> 72)/2 or total interior angles 540 or exterior angle clearly identified as 72		
14	(a)		-1 1 3 5 7	2	M1 for 3 correct		
	(b)		Straight line from (0,-1) to (4,7)	2	M1 for 3 points plotted FT their (a)		
	(c)		3	2	M1 for intersection identified or (3,5)	Answer 5 may imply intersection identified	
15	(a)		0.13	2	M1 for 2 ÷ 15 or 0.13 or 0.133	Condone 0.133 or 0.1333[3] for 2 marks	
	(b)		$\frac{7}{40}$	2	M1 for <u>175</u> oe 1000		

Question		on	Answer	Marks	Part Marks and Guidance			
	16	(a)		$\frac{2}{3}$ oe	3	 M2 for comparing area of hexagons and area of whole shape eg 18 and 27 OR M1 for splitting a hexagon into 6 triangles (on diagram or stated in working) 	For 3 marks must be exact answer, can be decimal or percentage. Allow M2 for ratio clearly stated eg area triangles : area hexagon is 3 : 6 or 9 : 18	
		(b)		1:3	1			

Question	Answer	Marks	Guidance
16c*	Clear explanation with conclusion that hexagons run out first	2	 Explanation is likely to start with either multiplying 15 by 3 or dividing 50 by 3 1 for either multiplying 15 by 3 or dividing 50 by 3 (leading to their conclusion) See exemplars in appendix 1

Question		n Answer	Marks	Part Marks and Guidance			
17 (a)		34.8% or 35% nfww	3	M2 for 0.347[826] oe OR M1 for $\frac{8}{23}$ SC1 for $\frac{8}{15}$ = 53[.3]%	No more than 2dp Allow eg 34.5% as evidence for M1		
	(b)	One of the following: 4 women, 1 man 8 women, 2 men 12 women, 3 men	3	M2 for number of women = 4 × number of men SC1 for number of women = 5 × number of men	Whole numbers only		
18	(a)	25.18 to 25.32	3	M1 for rectangle area = 5 x 7 AND M1 for $\frac{\pi \times 2.5^2}{2}$ or $\pi \times 2.5^2$	Rectangle area = 35 cm^2 Circle area = $19.63 \dots \text{cm}^2$ Semicircle area = $9.817\dots \text{ cm}^2$ Final area = $25.182\dots \text{ cm}^2$		
		cm ²	1	B1 for units	Allow in working if not contradicted in answer		
	(b)	Three positive numbers which multiply to give 60	3	M2 for three positive numbers which multiply to give 30 OR M1 for $\frac{1}{2}$ whd = 30			

APPENDIX 1

Exemplar responses for questions 16c

Hexagons 15 x 3 = 45. You still have [5] triangles left	2				
Runs out of hexagons first because each hexagon needs 3 triangles. $15 \times 3 = 45$	2				
$50 \div 3 = 16.6$. 15 patterns with hexagons. She will run out of hexagons first. I know this $50 \div 3$ because its 3 triangles to every pattern is more than the amount of hexagons.	2				
9 18 27 36 45 54	2				
3 6 9 12 15					
Hexagons because its 3:9 and you will run out of hexagons quicker. You get to 45 with hexagons before you get to 50 with triangles					
She runs out of hexagons first because she will use 45 triangles to 15 hexagons in the ratio 3:9 2					
Runs out of hexagons first because $15 \times 3 = 45$ which means too many triangles	2				
9 18 27 36 45 54	1				
3 6 9 12 15					
Hexagons run out first					
$15 \div 3 = 5 \ 50 \div 3 = 16.66666666$ She runs out of hexagons 1					
Runs out of hexagons first because ratio is 1:3. After using 15 hexagons she still has triangles left	1				
$+9 = 12$ $12 \div 3 = 4$ $12 \div 9 = 1.33$ $15 \times 3 = 45$ $9 \times 50 = 450$ None both would run out at same time. 0					

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627 Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553





© OCR 2014